Lineweaver, J.A., 345
Luft, Friedrich C., 487

Macdonald, I.A., 245
Mahony, D.E., 245
Marche, Pierre, 577
Maxwell, J.R., 203
Mazzella, Giuseppe, 13
McGuire, J.L., 147
McKenna, Terence J., 127
Mehdi, A.Z., 109
Meier, C.E., 245
Mejean, C., 1
Michiel, Dennis Franklin, 45
Morris, R.J., 203
Morrison, John, 25
Mosbach, Erwin H., 659
Moss, G.E., 547
Moudgal, N.R., 435
Muccitelli, R.M., 165
Murphy, J., 323

Napoli, Joseph L., 453
Nhuan, Tran Quang, 295
Nicholson, Wendell E., 127
Ninomiya, Ichiya, 137
Noble, Ernest P., 607
Numazawa, Mitsuteru, 519

Ogihara, Toshio, 137
Orme, M.L'E., 423
Osawa, Yoshio, 25, 373, 519

Parkinson, Charles A., 487
Patrick, J.E., 147
Peric-Golia, Ludvik, 373
Pittaway, Donald E., 157
Post, Joseph, 669
Potts, G.O., 257
Pratt, J. Howard, 487
Preslock, James P., 187

Raibaud, P., 1
Raju, Uma, 669
Redel, Joseph, 577
Redshaw, Martin R., 467
Rees, Huw H., 629
Riottot, M., 1
Robel, Paul, 563
Roberts, K.D., 649
Rocher, Pierre, 563
Roda, Aldo, 13
Roda, Enrico, 13
Rohrer, D.C., 511
Roux, J.F., 365
Rowe, P.H., 423
Ryan, Kenneth J., 499, 529

Sacquet, E., 1
Saiduddin, Syed, 51
Salen, G., 337
Sama, Claudia, 13
Sandberg, Avery A., 373
Sandor, T., 109
Schane, H.P., 257
Schnoes, Heinrich K., 453
Sheela Rani, C.S., 435
Shefer, S., 337
Shimoda, W., 547
Singh, G., 245
Sklarew, Robert J., 669
Sloan, T.P., 423
Smith, E., 423
Steinberger, Emil, 187, 307
Stern, Paula H., 453
Stradnieks, S., 355
Suzuki, Yasuhiro, 279

Tateishi, Kayoko, 233
Tcholakian, Robert K., 269
Templeton, John F., 45
Thiel, M., 179
Thomasset, Monique, 577
Tint, G.S., 337
Tsai, P., 389

Vandenheuvel, W.J.A., 649
Vinson, W.E., 345

Wardroper, A.M.K., 203
Watanabe, Fukuko, 137
Weintraub, H.S., 147
Willett, J.D., 547
Williams, Robert F., 539

Yamaga, Nobuo, 615
Yamamoto, Hiroshi, 233
Yamamoto, Yukio, 373
Yamasaki, Kazumi, 73, 85
Yoshioka, K., 511

Zassenhaus, Hans Peter, 51

SUBJECT INDEX - VOLUME 32

17β-Acetoxy-2α-chloro-3-(p-nitrophenoxy)-imino-5-androstane, 147
Adrenal cell suspension, human, 127
Adrenal function, in rats, urinary free corticoids, measurement of, 223
Aldosterone, kidney receptors of, 109
Aldosterone, urinary free, in rats, measurement of, 223
Aldosterone secretion, in anephric patients, 487
21-Amino-11β,17α-dihydroxy-4-pregnene-3,20-dione, enzyme immunoassay with, 137
Androgens, metabolism in sheep, 373
5α-Androstanediols, serum levels of, 61
Androst-5-ene-3β,16α-diol-17-one-3-sulfate, chemical synthesis of, 519
Androstenedione metabolism, in MCF-7 and BT-20 cell lines, 669
Anephric patients, aldosterone secretion in, 487
Angiotensin, stimulation of cortisol biosynthesis by, 127
Anti-testosterone antiserum, raised in mice of different strains and sexes, 233
Aromatase, in trophoblast cell culture, 37
Aromatase system, in human placenta, 499
Avian urine, steroid conjugates in, 95

Bile acid conjugate, hydrolysis of, 355
Bile acid excretion, in rats, 1
Bile acid radioimmunoassay, in human serum and liver tissue, 13
Bile salt dehydrogenases, effect of pH on, by mixed fecal cultures, 245
Bile salt dehydroxylase, effect of pH on, by mixed fecal cultures, 245
Bile salt kinetics, effect of cholecystectomy on, 179
Bone calcium mobilization, to vitamin d_3 analogs, 577
Breast cancer, testosterone metabolism in women with, 323

Calcium metabolism, and vitamin D analogs, 453
Capillary gc and gc-ms, of sterols, 203
21-Carboxylic acid of triamcinolone acetonide, as a metabolite, 25
Cardenolide diastereomers, TLC separation of, 511
Catechol estrogens, in rat tissues, 529
Cholic acid, biological precursors of, 337
Chlorinated hydrocarbon pesticides, binding to estrogen receptor in rat testes, 165
Cholecystectomy, effect of, on bile salt kinetics, 179
Cholesta-7,24-dien,3β-OL, in hamster reproductive tract, 649
Cholesterol-4-^{14}C, isotopic equilibrium method, 1
Competitive inhibition, of steroid-protein binding, 563
Corticosterone, urinary free, in rats, measurement of, 223
Cortisol, enzyme immunoassay of, 137
Cortisol biosynthesis, stimulation of, 127

11-Deoxycorticosterone, urinary free, in rats, measurement of, 223
Dexamethasone disodium phosphate, intraocular fate of, 615
Dexamethasone side-chain cleavage, in the anterior ocular tissues of rabbit's eye, 615
Digitalis analogue diastereomers, TLC separation of, 511
25R,26 and 25S,26-Dihydroxycholecalciferol, calcium mobilization to, 577
3β,7α-Dihydroxychol-5-en-24-oic acid, methoxylation of, 73

3β,7β-Dihydroxychol-5-en-24-oic acid, methoxylation of, 73
1α,25-Dihydroxyvitamin D_3, 25-masked analogs of, 453
Domestic fowl, steroid estrogen conjugates in urine of, 95
Duodenal CaBP, 577

Ecdysteroids, preparation of, 629
Enzymatic hydrolysis, of bile acids, 355
Enzyme immunoassay, of cortisol, 137
3-Epi-ecdysone, preparation of, 629
3-Epi-20-hydroxyecdysone, preparation of, 629
Estradiol, in mouse embryo, 345
Estradiol secretion, during pregnancy, 539
Estriol biosynthesis, intermediate in, 519
Estriol metabolism, in MCF-7 and BT-20 cell lines, 669
Estrogen binding, in rat testes, 165
Estrogen biosynthesis, in ovary, 435
Estrogen formation, in guinea-pig placenta, 295
Estrogen 2-hydroxylase, activity in rat tissue, 529
Estrogen profile, for pregnancy urine, 279
Estrogen synthetase, in cell culture, 37
Estrogens, in pregnancy urine, 279
17-Ethinyl-1,3,5(10)-estratriene-3,17β-diol, pharmacokinetics of, 423

Fetal membranes, 3β-hydroxysteroid dehydrogenase in, 365
9α-Fluoro-11β-hydroxy-16α-methyl-androsta-1,4-diene-3,17-dione, as metabolite of dexamethasone, 615
Follicle stimulating hormone, in ovary, 435
FSH-induced aromatase, inhibition of, 639

Glucocorticoids, inhibition by, 639
Glycocholic acid hydrolase, 355
Gnotobiotics rats, measurement of fecal bile acid excretion in, 1
Granulosa cells, glucocorticoid inhibition in, 639
Guinea-pig placenta, estrone formation in, 295

Hamster reproductive tract, sterols in, 649
Hirsute woman, 5α-androstanediol assay of, 61
Human placenta, aromatase system in, 499
16α-Hydroxyandrogens, synthesis of, 519
17β-Hydroxy-androst-4-en-3-one, oxidoreductase activity, 157
17β-Hydroxy-2-hydroxymethylene-5α-androstan-3-one, metabolism of, in the rabbit, 45
Hydroxylase activity, stimulatory effect on, 389
3β-Hydroxysteroid dehydrogenase, an orally active inhibitor of steroid biosynthesis, 257
17β-Hydroxysteroid dehydrogenase, effect of 2-mercaptoethanol on, 399
3β-Hydroxysteroid dehydrogenase, in human fetal membranes, 365
6β-Hydroxy triamcinolone acetonide, as a metabolite, 25

[^{125}I]-radioligand, in radioimmunoassay of progesterone, 467
In vivo patterns, of circulating hormones, 269

Lithocholic acid, radioimmunoassay for, 13

Liver, 17β-hydroxysteroid dehydrogenase in, 399

Marine sterols, in sediments, 203
Metabolism, in guinea pigs, 659
Metabolism, of 17β-hydroxy-2-hydroxymethylene-5α-androstan-3-one, 45
Metabolism, of triamcinolone acetonide, 25
Metabolites of progesterone, in bovine muscle and tissue, 547
Methyl 3α,7α-dihydroxychol-4-en-24-oate, methoxylation of, 85
Methyl 3β,7α-dihydroxychol-4-en-24-oate, methoxylation of, 85
17α-Methyl testosterone (17α-methyl-17-β-hydroxy-androst-4-en-3-one), synthesis of, from hyodesoxycholic acid, 589
Microsomes, hydroxylase activity of, 389
Microsomes, 17β-hydroxysteroid dehydrogenase in, 399
Mitochondrial aromatase, in human placenta, 499
Mouse embryo, steroid production in, 345

Nonspecific fluorescence, evaluation of, 607
27-Nor-3α,7α-dihydroxy-5β-cholestan-26-oic acid, metabolism of, in guinea pigs, 659
(24R and 24S)-27-Nor-24-methyl-3α,7α-dihydroxy-5β-cholestan-26-oic acids, metabolism of, in guinea pigs, 659
Novel sediment sterols, 203

Oppenauer oxidation, modification of, 589
Oscillations, in circulating testosterone, 269
Ovarian estradiol secretion, during pregnancy, 539
Oxidoreductase, 17β-hydroxysteroid activity, 157
Oxo-bile acid, reduction of, 355

Pharmacokinetics, of tritiated ethinylestradiol, 423
Placenta, guinea-pig, estrone formation in, 295
Plasma corticosterone, fluorometric assay of, 607
Postmenopausal women, testosterone metabolism in, 323
Pregnancy, estradiol secretion during, 539
Pregn-4-ene-3,20-dione metabolites, in bovine, 547
Primates, steroidogenesis in testis of, 187
Progesterone, in mouse embryo, 345
Progesterone, radioimmunoassay of, 467
Prostaglandin, inhibition of testosterone production, 307
Protein-ligand interactions, further consideration of systematic errors present in, 51

Radioimmunoassay, of free and conjugated 5α-androstanediols, 61
Radioimmunoassay, of progesterone, 467
Receptors, in avian kidney, 109
Receptors, of aldosterone, 109

Sheep, androgen metabolism in, 373
Steroid binding, systematic errors present in, 51
Steroid estrogen conjugates, in avian urine, 95
Steroid metabolites, of 17β-hydroxy-2-hydroxymethylene-5α-androstan-3-one, 45
Steroid protein binding, competitive inhibition of, 563

Steroidogenesis, in baboon, 187
Steroidogenesis blocker, trilostane, 257
Sterols, in hamster reproductive tract, 649

Testis, canine oxidoreductase activity, 157
Testis, inhibition of testosterone production in, 307
Testis microsomes, hydroxylase activity of, 389
Testis, steroidogenesis in, 187
Testosterone, (17β-hydroxyandrost-4-en-3-one), synthesis of, from hyodesoxycholic acid, 589
Testosterone metabolism, in women, 323
Testosterone production, inhibition of, 307
Tetrahydroaldosterone, secretion in anephric patients, 487
Thin layer chromatography, cardenolide analogues separation, 511
Tissue metabolites of progesterone, in bovine, 547
Total parenteral nutrition, in male rats, 269
Trilostane [(2α,4α,5α,17β)-4,5-epoxy-17-hydroxy-3-oxoandrostane-2-carbonitrile], an orally active inhibitor of steroid biosynthesis, 257
Trophoblast cell culture, estrogen synthetase, 37

Vitamin D analogs, 25-masked, 453